

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. – 8. (Canceled)

9. (Currently Amended) A computer implemented method of associating information received by a client from a server with an object, comprising:

locating, at the client, a start identifier and an end identifier in the information received from the server, wherein the end identifier corresponds to the start identifier;

identifying, at the client, a first object associated with at least one of the start identifier and the end identifier, wherein the first object comprises server side code stored at the client; and

storing, at the client, an item of information appearing between the start identifier and the end identifier in association with the first object, wherein the item of information comprises a result generated by the server in accordance with the first object.

10. (Canceled)

11. (Previously Presented) The method of claim 9 wherein:

each of the start identifier and the end identifier comprises an object identifier; and

identifying the first object comprises matching the start identifier and the end identifier with a first object identifier.

12. (Previously Presented) The method of claim 9 wherein the start identifier and the end identifier comprise unique identifiers.

13. (Previously Presented) The method of claim 12 wherein the start identifier comprises an even number and the end identifier comprises an odd number, wherein the value of the end identifier is greater than the value of the start identifier.

14. (Canceled)

15. (Previously Presented) The method of claim 9 additionally comprising:  
locating a special attribute identifier in the information received from the server;  
identifying a second object associated with the special attribute identifier; and  
storing information corresponding to the special attribute identifier in association with the second object.

16. (Canceled)

17. (Previously Presented) The method of claim 15 wherein the information corresponding to the special attribute identifier comprises information surrounding the special attribute identifier.

18. (Previously Presented) The method of claim 15 wherein:  
the information corresponding to the special attribute identifier comprises a tag; and  
the special attribute identifier comprises an attribute of the tag.

19. – 26. (Canceled)

27. (Currently Amended) A computer program product comprising a computer useable medium having computer readable program code embodied therein for associating information received by a client from a server with an object, the computer program product comprising computer readable program code devices configured to cause a computer to:

locate, at the client, a start identifier and an end identifier in the information received from the server, wherein the end identifier corresponds to the start identifier;

identify, at the client, a first object associated with at least one of the start identifier and the end identifier, wherein the first object comprises server side code stored at the client; and

store, at the client, an item of information appearing between the start identifier and the end identifier in association with the first object, wherein the item of information comprises a result generated by the server in accordance with the first object.

28. (Canceled)

29. (Previously Presented) The computer program product of claim 27 wherein:  
each of the start identifier and the end identifier comprises an object identifier; and  
the computer readable program code devices configured to cause a computer to identify the first object further comprise computer readable program code devices configured to cause a computer to match the start identifier and the end identifier with a first object identifier.

30. (Previously Presented) The computer program product of claim 27 wherein the start identifier and the end identifier comprise unique identifiers.

31. (Previously Presented) The computer program product of claim 30 wherein the start identifier comprises an even number and the end identifier comprises an odd number, wherein the value of the end identifier is greater than the value of the start identifier.

32. (Canceled)

33. (Previously Presented) The computer program product of claim 27 additionally comprising computer readable program code devices configured to cause a computer to:  
locate a special attribute identifier in the information received from the server; and

store information corresponding to the special attribute identifier in association with the second object.

34. (Canceled)

35. (Previously Presented) The computer program product of claim 33 wherein the information corresponding to the special attribute identifier comprises information surrounding the special attribute identifier.

36. (Previously Presented) The computer program product of claim 33 wherein:  
the information corresponding to the special attribute identifier comprises a tag; and  
the special attribute identifier comprises an attribute of the tag.

37.–46. (Canceled)

47. (Currently Amended) A system comprising:  
a server configured to transmit information; and  
a client computer configured to receive information from the server, wherein the client computer is further configured to perform operations comprising:  
    locating a start identifier and an end identifier in the information received from the server, wherein the end identifier corresponds to the start identifier;  
    identifying a first object associated with at least one of the start identifier and the end identifier, wherein the first object comprises server side code stored at the client; and  
    storing an item of information appearing between the start identifier and the end identifier in association with the first object, wherein the item of information comprises a result generated by the server in accordance with the first object.

48. (Previously Presented) The system of claim 47, wherein:  
each of the start identifier and the end identifier comprises an object identifier; and  
the client computer is configured such that identifying the first object comprises matching  
the start identifier and the end identifier with a first object identifier.

49. (Previously Presented) The system of claim 47, wherein the start identifier and the  
end identifier comprise unique identifiers.

50. (Previously Presented) The system of claim 49, wherein the start identifier  
comprises an even number and the end identifier comprises an odd number, wherein the value of  
the end identifier is greater than the value of the start identifier.

51. (Previously Presented) The system of claim 47, wherein the client computer is  
further configured to perform operations comprising:  
locating a special attribute identifier in the information received from the server;  
identifying a second object associated with the special attribute identifier; and  
storing information corresponding to the special attribute identifier in association with the  
second object.

52. (Previously Presented) The system of claim 51, wherein the information  
corresponding to the special attribute identifier comprises information surrounding the special  
attribute identifier.

53. (Previously Presented) The system of claim 51, wherein:  
the information corresponding to the special attribute identifier comprises a tag; and  
the special attribute identifier comprises an attribute of the tag.